

RTV 88/DBT

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RTV 88/DBT

Other means of identification

Synonyms: Silicone Rubber Compound

Recommended use and restriction on use

Recommended use: Silicone Elastomer

Restrictions on use: None known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials USA LLC
2750 Balltown Road,
Niskayuna, NY 12309

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number

Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements : Not applicable

Hazard(s) not otherwise classified (HNOC): None.

SDS_US

RTV 88/DBT

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Red iron oxide	1309-37-1	20 - <50%	# This substance has workplace exposure limit(s).
Kieselguhr, soda ash flux-calcined	68855-54-9	10 - <20%	# This substance has workplace exposure limit(s).
Silicic acid, ethyl ester	11099-06-2	1 - <5%	No data available.
(1) QUARTZ	14808-60-7	0.1 - <1%	# This substance has workplace exposure limit(s).

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

Ingestion: DO NOT induce vomiting. Get medical attention immediately. Do not give victim anything to drink if he is unconscious. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms occur.

Skin Contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

Eye contact: Get medical attention if symptoms occur. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

RTV 88/DBT

5. Fire-fighting measures

General Fire Hazards: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures: Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Caution: Contaminated surfaces may be slippery. Avoid contact with skin and eyes. See Section 8 of the SDS for Personal Protective Equipment. Keep out of reach of children.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not taste or swallow. Do not get in eyes, on skin, on clothing. Use personal protective equipment as required. Wash hands after handling.

RTV 88/DBT

Conditions for safe storage, including any incompatibilities:

Keep container closed. Keep away from sources of ignition - No smoking.
Use original container or packaging of similar material of construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Red iron oxide - Respirable fraction.	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values, as amended (03 2015)
Red iron oxide - Dust and fume. - as Fe	REL	5 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Red iron oxide - Fume.	PEL	10 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	10 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	10 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	TWA PEL	5 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)
Red iron oxide - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Red iron oxide - Respirable fraction.	TWA	5 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Red iron oxide - Total dust.	TWA	15 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Red iron oxide	IDLH	2,500 mg/m ³	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Kieselguhr, soda ash flux-calcined	REL	6 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.8 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	IDLH	3,000 mg/m ³	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Kieselguhr, soda ash flux-calcined - Particulate.	AN ESL	2 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
	ST ESL	27 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
Kieselguhr, soda ash flux-calcined - Respirable particles.	TWA	3 mg/m ³	US. ACGIH Threshold Limit Values, as amended (01 2021)
Kieselguhr, soda ash flux-calcined - Inhalable particles.	TWA	10 mg/m ³	US. ACGIH Threshold Limit Values, as amended (01 2021)
Kieselguhr, soda ash flux-calcined - Total dust.	TWA	15 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Kieselguhr, soda ash flux-	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000),

RTV 88/DBT

calcined - Respirable fraction.			as amended (1989)
	TWA	5 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
Kieselguhr, soda ash flux-calcined - Total dust.	TWA	15 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
	TWA PEL	10 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
Kieselguhr, soda ash flux-calcined - Respirable fraction.	TWA PEL	5 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
Kieselguhr, soda ash flux-calcined - Total dust.	TWA	15 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Kieselguhr, soda ash flux-calcined - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	5 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
(1) QUARTZ - Respirable dust.	REL	0.05 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
(1) QUARTZ - Respirable dust.	TWA	0.05 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_ACT	0.025 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
(1) QUARTZ - Respirable dust.	PEL	0.05 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
	TWA	0.1 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) QUARTZ - Particulate.	AN ESL	0.27 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
(1) QUARTZ - Respirable dust.	TWA PEL	0.05 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (10 2016)
(1) QUARTZ - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
(1) QUARTZ	IDLH	50 mg/m ³	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
(1) QUARTZ - Respirable dust.	TWA	0.050 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
(1) QUARTZ - Particulate.	ST ESL	14 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m ³	US. ACGIH Threshold Limit Values, as amended (01 2022)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

RTV 88/DBT

Appropriate Engineering Controls Eye wash facilities and emergency shower should be available when handling this product. No special requirements under ordinary conditions of use and with adequate ventilation. Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

General information: General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or in covered equipment.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Use chemical-resistant, impervious gloves.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: Use only in well-ventilated areas. If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Observe good industrial hygiene practices. Wash hands after handling. When using do not eat, drink or smoke. Provide adequate ventilation.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: liquid

Color: Red

Odor: Faint

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: > 260 °C

Flash Point: > 100 °C (Closed Cup)

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper: No data available.

Explosive limit - lower: No data available.

Heat of combustion: No data available.

Vapor pressure: No data available.

RTV 88/DBT

Vapor density:	No data available.
Density:	ca. 1.5 g/cm ³
Relative density:	ca. 1.5
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	To avoid thermal decomposition, do not overheat.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
Minimum ignition temperature:	No data available.
VOC:	20 g/l ;

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
-------------------	--------------------

RTV 88/DBT

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 43,478.26 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

RTV 88/DBT

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

(1) QUARTZ Overall evaluation: 1. Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Kieselguhr, soda Known To Be Human Carcinogen.

ash flux-calcined

(1) QUARTZ Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

RTV 88/DBT

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Red iron oxide No data available.

Kieselguhr, soda ash flux-calcined No data available.

Silicic acid, ethyl ester No data available.

(1) QUARTZ No data available.

Other adverse effects: No data available.

RTV 88/DBT

13. Disposal considerations

General information:	See Section 8 for information on appropriate personal protective equipment. The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground.
Disposal instructions:	Disposal should be made in accordance with federal, state and local regulations.
Contaminated Packaging:	Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

RTV 88/DBT

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<u>Chemical Identity</u>	<u>OSHA hazard(s)</u>
Siloxanes and Silicones, di-Me hydroxy terminated	No OSHA Hazards
Red iron oxide	Causes mild skin irritation.; Respiratory hazard.
Kieselguhr, soda ash flux-calcined	Toxic by inhalation.; Systemic effects
Castor oil, hydrogenated	No OSHA Hazards

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
--------------------------	------------------------------------

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Siloxanes and Silicones, di-Me hydroxy terminated

Red iron oxide

Kieselguhr, soda ash flux-calcined

Castor oil, hydrogenated

Silicic acid, ethyl ester

(1) QUARTZ

US. Massachusetts RTK - Substance List

Chemical Identity

Red iron oxide

(1) QUARTZ

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Red iron oxide

Kieselguhr, soda ash flux-calcined

Silicic acid, ethyl ester

US. Rhode Island RTK

Chemical Identity

Red iron oxide

RTV 88/DBT

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: Commercial Status: Active
New Zealand Inventory of Chemicals:	y (positive listing)	Remarks: None.
Taiwan Chemical Substance Inventory:	y (positive listing)	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	0
Flammability	1
Physical Hazards	0
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 05/23/2023

Revision Date: No data available.

Version #: 3.2

RTV 88/DBT

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SAFETY DATA SHEET

1. Identification

Product identifier: RTV88

Other means of identification

Synonyms: Tin Catalyst (DBT)

Recommended use and restriction on use

Recommended use: For industrial use only.

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials LLC
260 Hudson River Road
Waterford NY 12188

Contact person : commercial.services@momentive.com

Telephone : +65-6496-2121

Telefax : +65-6496-2122

Emergency telephone number : +65-3158-1074

Responsible Department : Product Stewardship & Compliance

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation	Category 1C
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitizer	Category 1
Germ Cell Mutagenicity	Category 2
Toxic to reproduction	Category 1B
Specific Target Organ Toxicity - Single Exposure	Category 1 ¹ .
Specific Target Organ Toxicity - Repeated Exposure	Category 1 ² .

Target Organs

1. thymus
2. thymus

Label Elements

Hazard Symbol:

RTV88



Signal Word:	Danger
Hazard Statement:	H314; Causes severe skin burns and eye damage. H317; May cause an allergic skin reaction. H341; Suspected of causing genetic defects. H360; May damage fertility or the unborn child. H370; Causes damage to organs. H372; Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
Precautionary Statements	
Prevention:	Do not breathe dust or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

3. Composition/information on ingredients

RTV88

Substances

Chemical Identity	CAS number	Content in percent (%)*
Dibutyltin Dilaurate	77-58-7	50 - <100%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

- Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Call a physician or poison control center immediately.
- Inhalation:** Move to fresh air. If respiratory problems, artificial respiration/oxygen. Get medical attention.
- Skin Contact:** Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Wash contaminated clothing before reuse. Call a physician or poison control center immediately.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

Most important symptoms/effects, acute and delayed

Symptoms: This product is a corrosive material. Gastric lavage or emesis may be contraindicated. Ingestion or inhalation may result in shock, decreased blood pressure, pulmonary edema, CNS depression, edema of the glottis with asphyxia, and perforation of the esophagus or stomach. Inhalation of vapors or fumes may result in coughing, choking, and CNS effects followed after a 6-8 hour latent period by pulmonary edema with tightness in the chest, air hunger, dizziness, frothy sputum, and cyanosis. Physical findings may include moist rales, low blood pressure, and high pulse pressure. Hemoptysis and dyspnea may continue for several weeks. Prednisolone may reduce esophageal stricture formation.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

RTV88

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Oxides of tin.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Caution: Contaminated surfaces may be slippery. Avoid contact with skin and eyes. See Section 8 of the SDS for Personal Protective Equipment. Keep out of reach of children.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not taste or swallow. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities: Store in tightly closed original container in a dry and cool place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Dibutyltin Dilaurate - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)

RTV88

	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA PEL	0.1 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	STEL	0.2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
Dibutyltin Dilaurate - Particulate.	AN ESL	0.1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

Appropriate Engineering Controls

Provide eyewash station and safety shower. Use only with adequate ventilation.

Individual protection measures, such as personal protective equipment

General information:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

Eye/face protection:

Wear approved safety goggles. Face shield

Skin Protection

Hand Protection:

Chemical resistant gloves

Other:

Wear suitable protective clothing and eye/face protection.

Respiratory Protection:

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures:

Avoid contact with eyes, skin, and clothing. Observe good industrial hygiene practices. Wash hands after handling. When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state:

liquid

Form:

liquid

RTV88

Color:	Colorless
Odor:	Faint
Odor threshold:	No data available.
pH:	Not applicable
Melting point/freezing point:	Not applicable
Initial boiling point and boiling range:	205 °C (1.013 hPa) (other methods)
Flash Point:	191 °C (other methods)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	19.00 %(V)
Flammability limit - lower (%):	3.30 %(V)
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Heat of combustion:	No data available.
Vapor pressure:	Negligible
Vapor density:	No data available.
Density:	ca. 1.066 g/cm ³ (25 °C)
Relative density:	1.28
Solubility(ies)	
Solubility in water:	Slightly Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	4.44 ; pH 6.1 (OECD Test Guideline 107)
Auto-ignition temperature:	> 300 °C
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	27 g/l ;

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	Carbon dioxide Carbon Monoxide. Tin fumes.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Dibutyltin Dilaurate LD 50 (Rat, male and female): 2,071 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Dibutyltin Dilaurate LD 50 (Rat,) : > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Dibutyltin Dilaurate LC50 (Rat,) : 10 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Corrosive

Serious Eye Damage/Eye Irritation

Product: (Rabbit): Irritating to eyes.

RTV88

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: thymus

Specific Target Organ Toxicity - Repeated Exposure: thymus

Aspiration Hazard

Product: No data available.

Other effects:

Contains dibutyl tin dilaurate which may cause birth defects and reproductive effects based on animal data. In animal studies with repeated oral application of dibutyl tin compounds toxic effects were observed on the liver, bile duct, brain and immune system.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

SDS_US

RTV88

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0.463 mg/l Fresh water

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Dibutyltin Dilaurate 23 % (39 d) The product is not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: 4.44 20.8 °C (OECD Test Guideline 107)

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Dibutyltin Dilaurate No data available.

Other adverse effects: No data available.

RTV88

13. Disposal considerations

General information: See Section 8 for information on appropriate personal protective equipment. The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

UN Number: UN 1760
 UN Proper Shipping Name: Corrosive liquids, n.o.s.(Dibutyltin Dilaurate)
 Transport Hazard Class(es)
 Class: 8
 Label(s): 8
 Packing Group: III
 Marine Pollutant: Yes

IMDG

UN Number: UN 1760
 UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S.(Dibutyltin Dilaurate)
 Transport Hazard Class(es)
 Class: 8
 Label(s): 8
 EmS No.: F-A, S-B
 Packing Group: III
 Marine Pollutant: Yes
 Limited quantity 5.00L
 Excepted quantity E1

IATA

UN Number: UN 1760
 Proper Shipping Name: Corrosive liquid, n.o.s.(Dibutyltin Dilaurate)
 Transport Hazard Class(es):
 Class: 8
 Label(s): 8
 Packing Group: III
 Cargo aircraft only Packing Instructions: 856
 Passenger and cargo aircraft Packing Instructions: 856
 Limited quantity: 1.00L
 Packing Instructions: Y841
 Excepted quantity E1
 Environmental Hazards: Environmentally hazardous
 Marine Pollutant: Yes

RTV88

Special precautions for user: This substance/preparation meets the criteria of a Marine Pollutant (see IMDG paragraph 2.9.3.3) but is not identified in the IMDG Code (Marpol list). As such, substance/preparation shall be transported as a marine pollutant in accordance with the IMDG code.
This product is considered hazardous for transportation. Momentive Performance Materials ships this material under Limited Quantity or Consumer Commodity provisions of the transport regulations.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Specific target organ toxicity (single or repeated exposure)
Skin Corrosion or Irritation
Serious eye damage or eye irritation
Respiratory or Skin Sensitization
Germ Cell Mutagenicity
Reproductive toxicity

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Dibutyltin Dilaurate	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

RTV88

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Dibutyltin Dilaurate

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

Chemical Identity

Dibutyltin Dilaurate

RTV88

Inventory Status:

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	4
Flammability		1
Physical Hazards		0
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 07/27/2018

RTV88

Revision Date: No data available.

Version #: 2.1

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.